



Product Reference Sheet

## MT Series of Bulk Pipe



### Product Description



| Part Number  | Description                                | Outside Diameter |       | Pipe Length |        | Structural Tube |     |        |      |
|--------------|--|------------------|-------|-------------|--------|-----------------|-----|--------|------|
|              |  | Inch             | mm    | Inch        | mm     | Wall Thickness  |     | Weight |      |
|              |  |                  |       |             |        | Inch            | mm  | Lbs.   | kg   |
| MAR-MT648    | 2-3/8" O.D. x 2' (24") Structural Tube     | 2.375            | 60.33 | 24.0        | 609.6  | 0.120           | 3.0 | 5.7    | 2.6  |
| MAR-MT649    | 2-3/8" O.D. x 3' (36") Structural Tube     | 2.375            | 60.33 | 36.0        | 914.4  | 0.120           | 3.0 | 8.6    | 3.9  |
| MAR-MT650    | 2-3/8" O.D. x 4' (48") Structural Tube     | 2.375            | 60.33 | 48.0        | 1219.2 | 0.120           | 3.0 | 11.4   | 5.2  |
| MAR-MT65063  | 2-3/8" O.D. x 5'3" (63") Structural Tube   | 2.375            | 60.33 | 63.0        | 1600.2 | 0.120           | 3.0 | 15.0   | 6.8  |
| MAR-MT651    | 2-3/8" O.D. x 6' (72") Structural Tube     | 2.375            | 60.33 | 72.0        | 1828.8 | 0.120           | 3.0 | 17.1   | 7.8  |
| MAR-MT65184  | 2-3/8" O.D. x 7' (84") Structural Tube     | 2.375            | 60.33 | 84.0        | 2133.6 | 0.120           | 3.0 | 20.0   | 9.1  |
| MAR-MT65196  | 2-3/8" O.D. x 8' (96") Structural Tube     | 2.375            | 60.33 | 96.0        | 2438.4 | 0.120           | 3.0 | 22.9   | 10.4 |
| MAR-MT651108 | 2-3/8" O.D. x 9' (108") Structural Tube    | 2.375            | 60.33 | 108.0       | 2743.2 | 0.120           | 3.0 | 25.7   | 11.7 |
| MAR-MT651114 | 2-3/8" O.D. x 9'6" (114") Structural Tube  | 2.375            | 60.33 | 114.0       | 2895.6 | 0.120           | 3.0 | 27.1   | 12.3 |
| MAR-MT537    | 2-3/8" O.D. x 10'6" (126") Structural Tube | 2.375            | 60.33 | 126.0       | 3200.4 | 0.120           | 3.0 | 30.0   | 13.6 |
| MAR-MT651150 | 2-3/8" O.D. x 12'6" (150") Structural Tube | 2.375            | 60.33 | 150.0       | 3810.0 | 0.120           | 3.0 | 35.7   | 16.2 |
| MAR-MT537160 | 2-3/8" O.D. x 13'4" (160") Structural Tube | 2.375            | 60.33 | 160.0       | 4064.0 | 0.120           | 3.0 | 38.1   | 17.3 |
| MAR-MT537170 | 2-3/8" O.D. x 14'2" (170") Structural Tube | 2.375            | 60.33 | 170.0       | 4318.0 | 0.120           | 3.0 | 40.5   | 18.4 |
| MAR-MT537186 | 2-3/8" O.D. x 15'6" (186") Structural Tube | 2.375            | 60.33 | 186.0       | 4724.4 | 0.120           | 3.0 | 44.3   | 20.1 |
| MAR-MT538    | 2-3/8" O.D. x 21' (252") Structural Tube   | 2.375            | 60.33 | 252.0       | 6400.8 | 0.120           | 3.0 | 60.0   | 27.2 |

Notes: 1. Material Structural Tube ASTM A500 Grade C (46 KSI [317.2 MPa] Min. Yield, 62 KSI [427.5 MPa] Min. Tensile)

2. Alternate Material: Structural Tube API 5L Grade B (42 KSI [289.6 MPa] Min. Yield, 62 KSI [427 MPa] Min. Tensile)

Product Reference Sheet

## MT Series of Bulk Pipe



### Product Description



| Part Number  | Description                                | Outside Diameter |       | Pipe Length |        | SCH 40 Pipe    |     |        |      |
|--------------|--|------------------|-------|-------------|--------|----------------|-----|--------|------|
|              |  | Inch             | mm    | Inch        | mm     | Wall Thickness |     | Weight |      |
|              |  |                  |       |             |        | Inch           | mm  | Lbs.   | kg   |
| MAR-MT54648  | 2-7/8" O.D. x 4' (48") Structural Tube     | 2.875            | 73.03 | 48.0        | 1219.2 | 0.120          | 3.0 | 14.0   | 6.3  |
| MAR-MT54672  | 2-7/8" O.D. x 6' (72") Structural Tube     | 2.875            | 73.03 | 72.0        | 1828.8 | 0.120          | 3.0 | 20.9   | 9.5  |
| MAR-MT54684  | 2-7/8" O.D. x 7' (84") Structural Tube     | 2.875            | 73.03 | 84.0        | 2133.6 | 0.120          | 3.0 | 24.4   | 11.1 |
| MAR-MT54696  | 2-7/8" O.D. x 8' (96") Structural Tube     | 2.875            | 73.03 | 96.0        | 2438.4 | 0.120          | 3.0 | 27.9   | 12.7 |
| MAR-MT546120 | 2-7/8" O.D. x 10' (120") Structural Tube   | 2.875            | 73.03 | 120.0       | 3048.0 | 0.120          | 3.0 | 34.9   | 15.8 |
| MAR-MT546126 | 2-7/8" O.D. x 10'6" (126") Structural Tube | 2.875            | 73.03 | 126.0       | 3200.4 | 0.120          | 3.0 | 36.6   | 16.6 |
| MAR-MT546150 | 2-7/8" O.D. x 12'6" (150") Structural Tube | 2.875            | 73.03 | 150.0       | 3810.0 | 0.120          | 3.0 | 43.6   | 19.8 |
| MAR-MT546170 | 2-7/8" O.D. x 14'2" (170") Structural Tube | 2.875            | 73.03 | 170.0       | 4318.0 | 0.120          | 3.0 | 49.4   | 22.4 |
| MAR-MT546198 | 2-7/8" O.D. x 16'6" (198") Structural Tube | 2.875            | 73.03 | 198.0       | 5029.2 | 0.120          | 3.0 | 57.6   | 26.1 |
| MAR-MT546222 | 2-7/8" O.D. x 18'6" (222") Structural Tube | 2.875            | 73.03 | 222.0       | 5638.8 | 0.120          | 3.0 | 64.6   | 29.3 |
| MAR-MT546    | 2-7/8" O.D. x 21' (252") Structural Tube   | 2.875            | 73.03 | 252.0       | 6400.8 | 0.120          | 3.0 | 73.3   | 33.2 |

Notes: 1. Material Structural Tube ASTM A500 Grade C (46 KSI [317.2 MPa] Min. Yield, 62 KSI [427.5 MPa] Min. Tensile)

2. Alternate Material: Structural Tube API 5L Grade B (42 KSI [289.6 MPa] Min. Yield, 62 KSI [427 MPa] Min. Tensile)

### Product Reference Sheet

# MT Series of Bulk Pipe



### Product Description



| Part Number  | Description                                | Outside Diameter |       | Pipe Length |        | Structural Tube |     |        |      |
|--------------|--|------------------|-------|-------------|--------|-----------------|-----|--------|------|
|              |  | Inch             | mm    | Inch        | mm     | Wall Thickness  |     | Weight |      |
|              |  |                  |       |             |        | Inch            | mm  | Lbs.   | kg   |
| MAR-MT54748  | 3-1/2" O.D. x 4' (48") Structural Tube     | 3.500            | 88.90 | 48.0        | 1219.2 | 0.120           | 4.2 | 17.1   | 7.8  |
| MAR-MT54772  | 3-1/2" O.D. x 6' (72") Structural Tube     | 3.500            | 88.90 | 72.0        | 1828.8 | 0.120           | 4.2 | 25.7   | 11.7 |
| MAR-MT54775  | 3-1/2" O.D. x 6'3" (75") Structural Tube   | 3.500            | 88.90 | 75.0        | 1905.0 | 0.120           | 4.2 | 26.8   | 12.1 |
| MAR-MT54784  | 3-1/2" O.D. x 7' (84") Structural Tube     | 3.500            | 88.90 | 84.0        | 2133.6 | 0.120           | 4.2 | 30.0   | 13.6 |
| MAR-MT54796  | 3-1/2" O.D. x 8' (96") Structural Tube     | 3.500            | 88.90 | 96.0        | 2438.4 | 0.120           | 4.2 | 34.3   | 15.5 |
| MAR-MT547100 | 3-1/2" O.D. x 8'4" (100") Structural Tube  | 3.500            | 88.90 | 100.0       | 2540.0 | 0.120           | 4.2 | 35.7   | 16.2 |
| MAR-MT547108 | 3-1/2" O.D. x 9' (108") Structural Tube    | 3.500            | 88.90 | 108.0       | 2743.2 | 0.120           | 3.0 | 38.5   | 17.5 |
| MAR-MT547126 | 3-1/2" O.D. x 10'6" (126") Structural Tube | 3.500            | 88.90 | 126.0       | 3200.4 | 0.120           | 3.0 | 45.0   | 20.4 |
| MAR-MT547140 | 3-1/2" O.D. x 11'8" (140") Structural Tube | 3.500            | 88.90 | 140.0       | 3556.0 | 0.120           | 4.2 | 49.9   | 22.7 |
| MAR-MT21601  | 3-1/2" O.D. x 12'6" (150") Structural Tube | 3.500            | 88.90 | 150.0       | 3810.0 | 0.120           | 3.0 | 53.5   | 24.3 |
| MAR-MF130    | 3-1/2" O.D. x 13'4" (160") Structural Tube | 3.500            | 88.90 | 160.0       | 4064.0 | 0.120           | 3.0 | 57.1   | 25.9 |
| MAR-MF273    | 3-1/2" O.D. x 15'4" (184") Structural Tube | 3.500            | 88.90 | 184.0       | 4673.6 | 0.120           | 3.0 | 65.6   | 29.8 |
| MAR-MF547    | 3-1/2" O.D. x 21' (252") Structural Tube   | 3.500            | 88.90 | 252.0       | 6400.8 | 0.120           | 3.0 | 89.9   | 40.8 |
| MAR-MT547174 | 3-1/2" O.D. x 14'6" (174") Structural Tube | 3.500            | 88.90 | 174.0       | 4419.6 | 0.120           | 3.0 | 62.1   | 28.2 |
| MAR-MT547192 | 3-1/2" O.D. x 16' (192") Structural Tube   | 3.500            | 88.90 | 192.0       | 4876.8 | 0.120           | 3.0 | 68.5   | 31.1 |
| MAR-MT547216 | 3-1/2" O.D. x 18' (216") Structural Tube   | 3.500            | 88.90 | 216.0       | 5486.4 | 0.120           | 3.0 | 77.1   | 35.0 |

Notes: 1. Material Structural Tube ASTM A500 Grade C (46 KSI [317.2 MPa] Min. Yield, 62 KSI [427.5 MPa] Min. Tensile)

2. Alternate Material: Structural Tube API 5L Grade B (42 KSI [289.6 MPa] Min. Yield, 62 KSI [427 MPa] Min. Tensile)

Product Reference Sheet

## MT Series of Bulk Pipe



### Product Description

| Part Number   | Description                            | Outside Diameter |        | Pipe Length |        | SCH 40 Pipe    |     |        |       |
|---------------|--|------------------|--------|-------------|--------|----------------|-----|--------|-------|
|               |  |                  |        |             |        | Wall Thickness |     | Weight |       |
|               |  | Inch             | mm     | Inch        | mm     | Inch           | mm  | Lbs.   | kg    |
| MAR-MT652     | 4-1/2" O.D. x 3' (36") SCH 40 Pipe     | 4.500            | 114.30 | 36.0        | 914.4  | 0.237          | 6.0 | 32.0   | 14.5  |
| MAR-MT653     | 4-1/2" O.D. x 4' (48") SCH 40 Pipe     | 4.500            | 114.30 | 48.0        | 1219.2 | 0.237          | 6.0 | 42.7   | 19.4  |
| MAR-MT65363   | 4-1/2" O.D. x 5'3" (63") SCH 40 Pipe   | 4.500            | 114.30 | 63.0        | 1600.2 | 0.237          | 6.0 | 56.0   | 25.4  |
| MAR-MT654     | 4-1/2" O.D. x 6' (72") SCH 40 Pipe     | 4.500            | 114.30 | 72.0        | 1828.8 | 0.237          | 6.0 | 64.0   | 29.0  |
| MAR-MT65496   | 4-1/2" O.D. x 8' (96") SCH 40 Pipe     | 4.500            | 114.30 | 96.0        | 2438.4 | 0.237          | 6.0 | 85.3   | 38.7  |
| MAR-MT539     | 4-1/2" O.D. x 10'6" (126") SCH 40 Pipe | 4.500            | 114.30 | 126.0       | 3200.4 | 0.237          | 6.0 | 112.0  | 50.8  |
| MAR-MT654150  | 4-1/2" O.D. x 12'6" (150") SCH 40 Pipe | 4.500            | 114.30 | 150.0       | 3810.0 | 0.237          | 6.0 | 133.3  | 60.5  |
| MAR-MT540     | 4-1/2" O.D. x 21' (252") SCH 40 Pipe   | 4.500            | 114.30 | 252.0       | 6400.8 | 0.237          | 6.0 | 224.0  | 101.6 |
| MAR-MTC987205 | 4-1/2" O.D. x 14'6" (174") SCH 40 Pipe | 4.500            | 114.30 | 174.0       | 4419.6 | 0.237          | 6.0 | 154.6  | 70.1  |

Notes: 1. Material: SCH 40 ASTM A53 (30 KSI [206.8 MPa] Min. Yield, 48 KSI [330.9 MPa] Min. Tensile)